

L Number	Hits	Search Text	DB	Time stamp
-	1	20030101380.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 13:17
-	659	(creat\$3 build\$3 compil\$3 stor\$3 generat\$3) near5 (metadata meta adj data attribute data) adj5 (binary object executable machine) adj (code procedure function)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/21 11:12
-	17	((creat\$3 build\$3 compil\$3 stor\$3 produc\$3) near5 (metadata meta adj data)) near5 ((binary object executable machine) adj (code procedure function))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/21 14:43
-	179	stack near5 (unwind\$3 un adj wind\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/22 11:39
-	625	call adj stack	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:15
-	57	(stack near5 (unwind\$3 un adj wind\$3)) and ((address\$3 data operation system user adj defin\$3 fatal over adj flow overflow under adj flow underflow protection undefined reset interrupt divide adj by adj zero privileged reserved trap undefined critical catastrophic) near5 (exception error interrupt))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:15
-	11	unwind adj table	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:31
-	5	(unwind adj table) and (call adj stack)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:16
-	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 unwind adj table	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:32
-	4	(creat\$3 generat\$3 build\$3 compil\$3) adj5 (unwind adj table call adj stack adj record)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:33
-	9	(creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:40
-	1253	714/38.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:40
-	10	714/38.ccls. and unwind	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 10:40
-	9	(714/38.ccls. and unwind) not ((creat\$3 generat\$3 build\$3 compil\$3) adj5 ((unwind un adj wind) adj table call adj stack adj3 (table record)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 12:05
-	1846	714/37-39.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 12:06

-	1163	714/37-39.ccls. and state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 12:06
-	270	(714/37-39.ccls. and state) and stack	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 12:07
-	5	(714/37-39.ccls. and state) and stack adj unwind\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 12:12
-	75	(metadata meta adj data) near5 associat\$3 near5 (function procedure)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 12:25
-	27	(metadata meta adj data) adj5 associat\$3 adj5 (function procedure)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/07/23 12:25
-	7	unwind adj data	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/02 10:03
-	1254	714/38.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/02 09:54
-	1636	translat\$3 adj10 (relationship)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/02 10:05
-	12	procedure adj (metadata meta adj data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/02 11:25
-	244	coutant.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/02 15:44
-	1	((("5327566" "5428779" "5530870" "5535397" "5564031" "5628016" "5640582").pn.) and unwind	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/03 12:46
-	209	walk\$3 near5 stack	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/03 15:48
-	33	(walk\$3 near5 stack) and unwind	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/03 12:47
-	1	(generat\$3 creat\$3 build\$3 form\$3) near5 (meta adj data or data or metadata) near5 ((code or binary or executable) near (data or metadata) near relationship)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/03 15:56
-	4170	(generat\$3 creat\$3 build\$3 form\$3) near5 (meta adj data or data or metadata code) near5 (coorespond\$3 relationship)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/03 16:01
-	71	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (software program excutable)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 10:24

-	1	(generat\$3 creat\$3) adj (metadata data meta adj data) adj (about for) adj (software program excutable)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 10:26
-	251	((generat\$3 creat\$3) adj (metadata data meta adj data)) and profiler	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 10:26
-	177	(generat\$3 creat\$3) adj (profile adj data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 11:57
-	1	5815720.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/04 11:57
-	173	(reorder re adj order) adj (procedure instruction)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/10 11:13
-	2628	(binary adj5 (procedure instruction))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/10 11:14
-	342	(binary adj (procedure instruction))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/10 11:14
-	50	(reorder re adj order order) near5 (binary adj5 (procedure instruction))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/10 11:15
-	994	(block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/10 17:34
-	15660	(instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/10 17:40
-	153	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data) )	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/10 18:21
-	1849	714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/10 18:24
-	95	(714/34.ccls. 714/35.ccls. 714/45.ccls. 714/38.ccls.) and ((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/10 18:25
-	49956	(binary object executable machine) adj (code procedure function)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/11 08:20
-	0	("stack").PN.	DERWENT	2004/08/11 08:22
-	91547	stack	DERWENT	2004/08/11 08:22

-	1	((instruction procedure function code binary) near5 (relat\$3 coorelat\$3 coorespond\$3) near5 (stack metadata meta adj data data unwind stack adj walk)) and ((block near5 (instruction procedure)) same (remap\$4 rewrit\$3 unwind\$3 reorder\$3 modif\$7 customiz\$5 re adj (map\$4 writ\$3 order\$3)) same (stack metadata meta adj data data) )	DERWENT	2004/08/11 08:25
-	8	stack adj (walk\$3 unwind\$3)	DERWENT	2004/08/11 09:12
-	247	exception adj handl\$4	DERWENT	2004/08/11 09:12
-	51	call adj stack	DERWENT	2004/08/11 09:21
-	1	("5802371").PN.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/11 09:21
-	1	5802371.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/13 13:17